

Perspective

Digital Technology in Implant Dentistry

Thiago de Almeida Prado Naves Carneiro*
Department of Occlusion, Fixed Prosthodontics, and
Dental Materials, School of Dentistry, Universidade
Federal de Uberlândia, Brazil

***Corresponding author:** Thiago de Almeida
Prado Naves Carneiro, Department of Occlusion,
Fixed Prosthodontics, and Dental Materials, School
of Dentistry, Universidade Federal de Uberlândia,
Uberlândia, Minas Gerais, Brazil

Received: December 11, 2015; **Accepted:** December 14,
2015; **Published:** December 15, 2015

Introduction

The last few decades have brought a technological revolution in all areas of knowledge, computer systems are making everything more precise and fast, it would not be different in the clinical practice of dentistry. The technology is gaining more and more space; many modern features have been introduced in the market and have shown incredible results. The purpose of this article is to make a historical contextualization of the contemporary implant dentistry in order to identify which are the most used equipment and digital tools.

Digital Planning and Guided Surgery

The implanted prosthesis planning should start much time before the implant placement surgery or even the choice of the implant itself. This is the concept of reverse planning [1]. The emergence of computerized tomography has revolutionized the image exams by the obtaining of much clearer images of the anatomical structures and three-dimensional reconstructions. Associating the concept of stereolithography and CAD/CAM technology it becomes possible to generate prototyped surgical guides with high precision [2-14]. This technology is based on real images of the bone anatomy obtained through CT scans and the design of a computerized prototyped surgical guide to implant placement based on mathematical 3-D models.

The CT scan images are manipulated on a specific software, enabling a virtual surgery simulating the implant placement, always looking for the best position, bone anchorage and of course, respecting the future prosthesis that these implants will receive [2-14]. Guided surgeries are suitable for the most varying types of rehabilitation with implants, including edentulous patients, partial or single unit restorations. This technology has been widely used with scientifically proven success [6,9-14], to succeed with this therapy, achieving optimal aesthetic and functional results, we need a proper study on the selection of cases and a detailed planning. Although it seems to be extremely easy and simple, it requires a lot of expertise and experience of the involved staff, in addition to a detailed planning, avoiding any complications during the procedure. The guided surgery may be considered as a viable alternative for the rehabilitation of edentulous spaces within the correct indications. The highlight of this technique is the detailed planning necessarily performed prior to the surgery,

a fact that should be routine and should be performed in all clinical situations, computer-guided or not.

The CAD/CAM Technology in Implant Dentistry

The CAD/CAM technology represents a major revolution within the current context of modern dentistry. It is now possible to generate a virtual model from the direct digital scanning from the mouth, models or even impressions, enabling the design and manufacture of the structure by computer assistance (Figure 1). With this technology, it is possible the manufacture structures for implant bridges, custom abutments, bars, copings, surgical guides and everything that can be developed in the software. Many software already comes with data libraries with the settings of many different implants from all over the world, favoring the adaptation of the manufactured components.

This technology has already been described in the 80's [15], but due to technological advances added to the process in recent years, it has gained more and more popularity around the world. The first direct system or also known as "in office" was the CEREC system, by Sirona Dental Systems [15]. The PROCERA concept by Nobel Biocare was the first system to offer indirect CAD/CAM technology. The first scanner owned a sapphire crystal tip with high hardness for contact scanning. Many years has passed and the technology has changed. Recently Nobel Biocare launched a new scanner, the "Nobel Procera optical scanner" with conoscopic holography technology, which is a collinear scanning technology that measures steep angles and deep cavities, making possible a more precise scanning. Nowadays, many other manufacturers are on the market with different optical technologies for digital scanning.

After the obtaining of the virtual model, the structure or restoration can be virtually designed on the software. The data is sent to a milling unit, which performs the process of machining the designed digital project with high precision and a significant reduction of the clinical and laboratorial time. This technique, where the obtaining of the projected is done by milling is classified as a subtraction process. It is possible to obtain prosthetic restorations, abutments or structures in several materials such as wax, acrylic resin, composites, titanium and cobalt chromium alloys, zirconia, alumina, feldspar ceramics, ceramics reinforced with leucite and lithium disilicate. The materials may be present in blocks or pellets, in different sizes and colors [16].




Figure 1: Design of a CAD/CAM restoration.

There is another situation where the process is by addition. A concept that nowadays is the subject of discussion all around the world, the obtaining of objects by 3D printing. The Direct Metal Laser Sintering (DMLS) technology uses a high temperature laser beam to heat a metal substrate powder selectively, according to the data obtained from the CAD software [17]. Selective laser sintering is a technology that can be used to produce both ceramic and metal restorations. However, instead of cutting, the material is sintered, by continuously adding of the material until the designed piece is completely obtained without any waste of material [17].

Nowadays, it is possible to find many different manufacturers of CAD/CAM systems available on the market. Three different production concepts are available depending on the location of the components of the CAD/CAM system: chairside or in office production; laboratory production or centralized fabrication in a production center [17]. The clinician or technician must know and understand the differences between the systems and the possibilities of each one before making a decision.

The development of CAD/CAM technology in the manufacture of implant structures revolutionized dentistry, providing good clinical outcomes [18,19] and a very good adjustment, with higher accuracy and lower seating mismatch between the components when compared to conventional methods [20-29]. Within the technological advances in implant dentistry it is possible to plan cases virtually, reducing errors and optimizing clinical outcomes. It is even possible to produce computerized surgical guides for faster and less invasive surgeries, accurate prosthetic restorations with high strength and in a great variety of materials. Despite all the advantages and convenience of CAD/CAM systems, the success is not dependent only on of the technology itself, as it involves several steps. All the involved clinical steps should be carried out respecting the right techniques, always seeking the success and the balance between the biological and mechanical factors.

References

1. Neves FD, Mendonça G, Fernandes Neto AJ. Analysis of influence of lip line and lip support in esthetics and selection of maxillary implant-supported prosthesis design. *J Prosthet Dent.* 2004; 91: 286-288.
2. Patel N. Integrating three-dimensional digital technologies for comprehensive implant dentistry. *J Am Dent Assoc.* 2010; 141: 20S-24S.
3. Wohlers T. Rapid prototyping & tooling, state of industry annual. Worldwide Progress Report. Wohlers Associates. 2004.
4. Ganz SD. Presurgical planning with CT-derived fabrication of surgical guides. *J Oral Maxillofac Surg.* 2005; 63: 59-71.
5. Kupeyan HK, Shaffner M, Armstrong J. Definitive CAD/CAM-guided prosthesis for immediate loading of bone-grafted maxilla: a case report. *Clin Implant Dent Relat Res.* 2006; 8: 161-167.
6. Sarment DP, Sukovic P, Clinthorne W. Accuracy of implant placement with a stereolithographic surgical guide. *Int J Oral Maxillofac Implants.* 2003; 18: 571-577.
7. vanSteenberghe D, Glauser R, Blomback U, Andersson M, Schhtyser F, Pettersson A, et al. A computed tomographic scan-derived customized surgical template and fixed prosthesis for flapless surgery and immediate loading of implants in fully edentulous maxillae: a prospective multicenter study. *Clin Implant Dent Relat Res.* 2005; 1: s111-120.
8. Sanna AM, Molly L, Van Steenberg D. Immediately loaded CAD/CAM manufactured fixed complete dentures using flapless implant placement procedures a cohort study of consecutive patients. *J Prosthet Dent.* 2007; 97: 331-339.
9. Malo P, de Araujo Nobre M, Lopes A. The use of computer-guided flapless implant surgery and four implants placed in immediate function to support a fixed denture: preliminary results after a mean follow-up period of thirteen months. *J Prosthet Dent.* 2007; 97: S26-34.
10. Geng W, Liu C, Su Y, Li J, Zhou Y. Accuracy of different types of computer-aided design/computer-aided manufacturing surgical guides for dental implant placement. *Int J Clin Exp Med.* 2015; 8: 8442-8449.
11. Van de Wiele G, Teughels W, Vercruyssen M, Coucke W, Temmerman A, Quirynen M. The accuracy of guided surgery via mucosa-supported stereolithographic surgical templates in the hands of surgeons with little experience. *Clin Oral Implants Res.* 2015; 26: 1489-1494.
12. Schnitman PA, Hayashi C. Papilla Formation in Response to Computer-Assisted Implant Surgery and Immediate Restoration. *J Oral Implantol.* 2015; 41: 459-466.
13. Tallarico M, Meloni SM, Canullo L, Caneva M, Polizzi G. Five-Year Results of a Randomized Controlled Trial Comparing Patients Rehabilitated with Immediately Loaded Maxillary Cross-Arch Fixed Dental Prosthesis Supported by Four or Six Implants Placed Using Guided Surgery. *Clin Implant Dent Relat Res.* 2015.
14. Orentlicher G, Horowitz A, Goldsmith D, Delgado-Ruiz R, Abboud M. Cumulative survival rate of implants placed "fully guided" using CT-guided surgery: a 7-year retrospective study. *Compend Contin Educ Dent.* 2014; 35: 590-598
15. Duret F, Blouin JL, Duret B. CAD-CAM in dentistry. *J Am Dent Assoc.* 1988; 117: 715-720.
16. Beuer F, Schweiger J, Edelhoff D. Digital dentistry: an overview of recent developments for CAD/CAM generated restorations. *Br Dent J.* 2008; 204: 505-511.
17. Tamac E, Toksavul S, Toman M. Clinical marginal and internal adaptation of CAD/CAM milling, laser sintering, and cast metal ceramic crowns. *J Prosthet Dent.* 2014; 112: 909-913.
18. Ortorp A, Jemt T. Clinical experiences of computer numeric control-milled titanium frameworks supported by implants in the edentulous jaw: a 5-year prospective study. *Clin Implant Dent Relat Res.* 2004; 6: 199-209.
19. Hedkvist L, Mattsson T, Helldén LB. Clinical performance of a method for the fabrication of implant-supported precisely fitting titanium frameworks: a retrospective 5- to 8-year clinical follow-up study. *Clin Implant Dent Relat Res.* 2004; 6: 174-180.
20. Abduo J. Fit of CAD/CAM implant frameworks: a comprehensive review. *J Oral Implantol.* 2014; 40: 758-766.
21. de França DG, Morais MH, das Neves FD, Barbosa GA. Influence of CAD/CAM on the fit accuracy of implant-supported zirconia and cobalt-chromium fixed dental prostheses. *J Prosthet Dent.* 2015; 113: 22-28.
22. Fuster-Torres MA, Albalat-Estela S, Alcañiz-Raya M, Peñarrocha-Diogo M. CAD / CAM dental systems in implant dentistry: update. *Med Oral Patol Oral Cir Bucal.* 2009; 14: E141-145.
23. Al-Fadda SA, Zarb GA, Finer Y. A comparison of the accuracy of fit of 2 methods for fabricating implant-prosthetic frameworks. *Int J Prosthodont.* 2007; 20: 125-131.
24. Almasri R, Drago CJ, Siegel SC, Hardigan PC. Volumetric misfit in CAD/CAM and cast implant frameworks: a university laboratory study. *J Prosthodont.* 2011; 20: 267-274.
25. Drago C, Saldarriaga RL, Domagala D, Almasri R. Volumetric determination of the amount of misfit in CAD/CAM and cast implant frameworks: a multicenter laboratory study. *Int J Oral Maxillofac Implants.* 2010; 25: 920-929.
26. Torsello F, di Torresanto VM, Ercoli C, Cordaro L. Evaluation of the marginal precision of one-piece complete arch titanium frameworks fabricated using five different methods for implant-supported restorations. *Clin Oral Implants Res.* 2008; 19: 772-779.
27. Abduo J, Lyons K, Bennani V, Waddell N, Swain M. Fit of screw-retained fixed implant frameworks fabricated by different methods: a systematic review. *Int J Prosthodont.* 2011; 24: 207-220.

28. Kapos T, Ashy LM, Gallucci GO, Weber HP, Wismeijer D. Computer-aided design and computer-assisted manufacturing in prosthetic implant dentistry. *Int J Oral Maxillofac Implants*. 2009; 24: 110-117.
29. Kapos T, Evans C. CAD/CAM technology for implant abutments, crowns, and superstructures. *Int J Oral Maxillofac Implants*. 2014; 29: 117-136.